Southern Yellow Pine

Southern Yellow Pine timber (not to be confused with Quebec Yellow) comes from southern is imported in most standard thicknesses, generally, boards are 4", 6", 8", 10" and 12" wide and Environment not listed in CITES. Available from well-managed sources. HARDWOODS AND HIGH QUALITY SOFTWOODS states of USA. It is a relatively 'heavy' weight softwood, used for joinery products such as stairs. It lengths 8' - 16'. It is imported kiln dried and thin stock is usually graded 'Saps' due to the clearerest grade sapwood being preferred, with thicker boards imported in 'prime & better' grade.

Latin name Pinus Palustris & Pinus Elliottii

Also known as Yellow Pine, Southern Pine. Has similarities with Pitch Pine.

Environment not listed in CITIES. Available from well-managed sources.

Southern Yellow Pine

Drying Supplied as Kiln dried, typically 8%-12% m.c

Southern: Yellow Pine Properties

Strength: Similar to Douglas Fir

Working Qualities: Not suitable for bending due to resin content. Moderate resistance to cutting edges. Resin may clog saw teeth and cutters.

Durability: Moderately durable, Sapwood is permeable for preservatives, resin similarity to Pitch Pine.

Moisture Movement: Medium

Density (mean, Kg/m³) 670

Texture: May have course texture.

Southern Yellow Pine

Working with Southern Yellow Pine

Use(s) structural use, joinery exterior and interior, boxes, baskets, pallets and crates, millwork, woodenware, novelties, decking, staircases.

Colour(s) Pale yellow - light brown, but may show vivid colours occasionally.

Timbersource are a leading online softwood merchant in the UK, supplying Southern Yellow Pine timber to the joinery, carpentry, construction, retail and building trade at competitive prices.

Timbersource®

FSC
www.fsc.org
FSC® C102136
The mark of
responsible forestry

PEFC
PEFC/16-37-140
Promoting Sustainable
Forest Management
www.pefc.co.uk